

Dust Extractor ***Construction***




PDW Series Single Phase



Double filtration system

Model	PDW-MINI	
Voltage	V	230/115
Power	Kw	2.4/2.1
Vacuum	mm.H ₂ O	2500/2400
Airflow	M ³ /h	360/320
First filter surface	M ²	2
Second filter surface	M ²	1
Filter cleaning	/	Manual
Capacity	Lt	30
Noise	dB	72
Dimensions	Cm	53*58*132


PDW Series Single Phase



Double filtration system

Model	PDW-L	
Voltage	V	230/115
Power	Kw	3.6/2.7
Vacuum	mm.H ₂ O	2700/2500
Airflow	M ³ /h	540/420
Filter filter surface	M ²	4
Second filter surface	M ²	1.5
Filter cleaning	/	Manual
Capacity	Lt	80
Noise	dB	73
Dimensions	Cm	65*75*140


ZPM Series Single Phase



Model	ZPM-25	ZPM-35
Voltage	V	230/115
Power	Kw	2.4/2.1
Vacuum	mm.H ₂ O	2500/2400
Airflow	M ³ /h	540/420
First filter surface	M ²	4
Second filter surface	M ²	2.4
Filter cleaning	/	Manual
Capacity	Lt	25
Noise	dB	72/73
Dimensions	Cm	65*85*145

ZPM Series

Single Phase




Model		ZPM-A-25	ZPM-A-35
Voltage	V	230/115	230/115
Power	Kw	2.4/2.1	3.6/2.7
Vacuum	mm.H ₂ O	2500/2400	2700/2500
Airflow	M ³ /h	360/320	540/420
First filter surface	M ²	4	4
Second filter surface	M ²	2.4	3.6
Filter cleaning	/	Automatic	Automatic
Capacity	Lt	25	25
Noise	dB	72	73
Dimensions	Cm	65*85*140	65*110*140

ZDP Series


Single Phase

Model		ZDP-MINI	ZDP-L
Voltage	V	230/115	230/115
Power	Kw	2.4/2.1	3.6/2.7
Vacuum	mm.H ₂ O	2500/2400	2700/2500
Airflow	M ³ /h	360/320	540/420
First filter surface	M ²	2	4
Second filter surface	M ²	1	1.5
Filter cleaning	/	Manual	Manual
Capacity	Lt	25	25
Noise	dB	72	73
Dimensions	Cm	63*63*132	65*72*148



ZDD Series

Single Phase




Model		ZDD
Voltage	V	230/115
Power	Kw	3.6/2.7
Vacuum	mm.H ₂ O	2700/2500
Airflow	M ³ /h	540/420
First filter surface	M ²	4
Second filter surface	M ²	1.5
Filter cleaning	/	Manual
Capacity	Lt	25+40
Noise	dB	73
Dimensions	Cm	72*115*155

Double filtration system

ZDS Series

Three Phase




Model	ZDS	
Voltage	V	380
Power	Kw	5.5/7.5
Vacuum	mm.H ₂ O	3500/3800
Airflow	M ³ /h	550/680
First filter surface	M ²	4
Second filter surface	M ²	1
Filter cleaning	/	Manual
Capacity	Lt	25
Noise	dB	73/74
Dimensions	Cm	72*120*171

ZDS Series


Three Phase

Model	ZDS-A	
Voltage	V	380
Power	Kw	5.5/7.5
Vacuum	mm.H ₂ O	3500/3800
Airflow	M ³ /h	550/680
First filter surface	M ²	4
Second filter surface	M ²	3.6
Filter cleaning	/	Automatic
Capacity	Lt	25+40
Noise	dB	73/74
Dimensions	Cm	70*150*160



ZGD Series

Gasoline Powered



Model	ZGD	
Honda	/	Gasoline
Power	Hp	5.5
Vacuum	mm.H ₂ O	3000
Airflow	M ³ /h	400
First filter surface	M ²	4
Second filter surface	M ²	1
Filter cleaning	/	Manual
Capacity	Lt	25+40
Noise	dB	75
Dimensions	Cm	68*122*155

Accessories

Flexible hoses of different materials



Eva flexible hose



Antistatic polyurethane hose



High temperature resistance hose



Eva electro conductive hose



Abrasive proof polyurethane hose

Accessories suitable for various needs



Fixed front floor squeegee



Floor squeegee with bristles



SS 304 Floor squeegee with bristles



Pvc floor squeegee (brush)



Pvc floor squeegee (rubber)



Double bend tube Ø40mm



'S' bend tube



Pipe with handle



Bent rubber conic nozzle



Scraping pipe



Pvc flat pipe



Antistatic rubber conic nozzle



Metal flat nozzle



Antistatic brush nozzle



Pvc brush nozzle

Convenient solutions to help you complete your work





Zuyee Environmental Technology Co.Ltd
Add:No.91,Fengfei Road,Fengxian District,
Shanghai, China
Tel: + 86 21 58179176 / 58179503
Email: info@zuyee.com

www.zuyee.com

